


PEAK Measuring Microscope 2034 Series



One of the primary advantages of the Peak 2034 series standard measuring microscope is its easy handling. Simply set the microscope on the field to be measured and focus – that's all. Thanks to the clear acrylic base the surface to be inspected can be viewed from all sides, making it easy to find the point to be measured. Focusing is accomplished by coaxial rotation of the tube. The short light path through the microscope makes the object appear reversed.



The optical system consists of a lens and an eye cup. All lenses are coated for sharp, high contrast images. Seven types of lenses are available: 2x, 4x, 6x, 10x, 15x, 20x and 30x. The eyepiece has a magnification factor of 10x and the focal plane is equipped with a scale. Contamination of the scale with dust is not possible thanks to the Huygens design with focal plane in the lens system. The lens closest to the eye in the ocular can be moved by turning the adjustment ring, so that the scale can be adjusted

to match the eye correction of the observer. The eyepiece associated with each magnification factor (object lens) can be replaced by simply pulling out. If additional lenses are to be used for visually checking purposes only, additional oculars are not required. The side illumination allows measurements on dark surfaces or in darkened rooms. Two 1.5 Volt AA batteries are required for operation. The microscope is supplied in a padded transport box offering secure transport space for four additional lenses available as accessories.

Optional use of the MKH tripod gives the 2034 series microscopes greater stability and is an essential accessory for reliably checking rollers. For further accessories see following pages. An eight megapixel, miniature USB camera with integrated lens and autofocus feature can be attached simply to the eyepiece with the aid of an adapter. This allows images to be saved quickly on a laptop or PC. It is possible to use either the original camera driver software (in English only) or combine the system with the Metric BE (image visualisation and storage), which offers significantly more convenient operation. The quality of the images obtained with this high end industrial camera are impressive.



Specification

	2034-20	2034-40	2034-60	2034-100	2034-150	2034-200	2034-300
Magnification factor	20 x	40x	60x	100x	150x	200x	300x
Focusable	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Scale focusable	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Field of view	7.2 mm	3.6 mm	2.4 mm	1.45 mm	0.96 mm	0.72 mm	0.48 mm
Measuring length	6.0 mm	3.0 mm	2.0 mm	1.2 mm	0.9 mm	0.6 mm	0.4 mm
Scale	0.1 mm	0.05 mm	0.02 mm	0.01 mm	0.005 mm	0.002 mm	0.001 mm
Working distance	36.0 mm	18.7 mm	10.8 mm	5.7 mm	9.2 mm	6.7 mm	4 mm
Numerical aperture	0.06	0.12	0.15 mm	0.19 mm	0.24 mm	0.35 mm	0.4 mm
Focal length	35.0 mm	22.0 mm	16.5 mm	10.7 mm	7.3 mm	5.7 mm	3.9 mm
Dimensions	63 x 172 mm	63 x 172 mm	63 x 172 mm	63 x 172 mm	63 x 172 mm	63 x 172 mm	63 x 172 mm
Weight	241 grams	241 grams	241 grams	241 grams	241 grams	241 grams	241 grams
Case	Included						
Standard scale	Included as standard feature						
Eyepiece	10 x	10 x	10 x	10 x	10 x	10 x	10 x
Lens	2 x	4x	6x	10x	15x	20x	30x
Display	Mirror image						

Prices

Order no.	Description	Price excl. VAT.
2034-20	2034-20 Measuring microscope with scale 0,1 mm, 20x	£273.00
2034-40	2034-40 Measuring microscope with scale 0,05 mm, 40x	£273.00
2034-60	2034-60 Measuring microscope with scale 0,02 mm, 60x	£295.00
2034-100	2034-100 Measuring microscope with scale 0,01 mm, 100x	£295.00
2034-150	2034-150 Measuring microscope with scale 0,005 mm, 150x	£355.00
2034-200	2034-200 Measuring microscope with scale 0,002 mm, 200x	£414.00
2034-300	2034-300 Measuring microscope with scale 0,001 mm, 300x	£532.00

Accessories for PEAK measuring microscope 2034



Interchangeable Lenses

2034, 2054 and 2054-EIM series microscopes offer the possibility of changing the magnification factor by changing lenses. Four additional depressions are already present in the standard transport boxes for secure transportation of interchangeable lenses. The lenses have a screw thread for extremely simple changing. However the measuring scales require particular attention. If, for example, a microscope with a magnification factor of 100x is used with a 0.01 mm scale, the reading is incorrect when

the lens is changed. For this reason, always order the additional lens you intend to use for measurement together with the associated eyepiece. It is not necessary to change the ocular for simple visual checking.

Order no.	Description	Price excl. VAT.
OJ-020	2x objective for magnification 20x	£64.00
OJ-040	4X objective for magnification 40x	£64.00
OJ-060	6x objective for magnification 60x	£82.00
OJ-100	10-x objective for magnification 100x	£82.00
OJ-150	15x objective for magnification 150x	£136.00
OJ-200	20x objective for magnification 200x	£218.00
OJ-300	30x objective for magnification 300x	£305.00



Interchangeable Eyepiece with millimetric graduation

All eyepiece have a magnification factor of 10x. The built in scale is calculated to match the lense. The scale can be focused separately in the eyepiece. The eye cup is already included with the stand microscope ordered.

Order no.	Description	Price excl. VAT.
OKU-020	Eyepiece with scale 0,1 mm, for magnification 20x	£91.00
OKU-040	Eyepiece with scale 0,05 mm, for magnification 40x	£91.00
OKU-060	Eyepiece with scale 0,02 mm, for magnification 60x	£91.00
OKU-100	Eyepiece with scale 0,01 mm, for magnification 100x	£91.00
OKU-150	Eyepiece with scale 0,005 mm, for magnification 150x	£91.00
OKU-200	Eyepiece with scale 0,002 mm, for magnification 200x	£91.00
OKU-300	Eyepiece with scale 0,001 mm, for magnification 300x	£91.00



Interchangeable Eyepiece with inch graduation

All eyepiece have a magnification factor of 10x. The inch graduation eyepiece are available for microscopes with magnification factors between 20x to 200x. The built in scale is calculated to match the lense. The scale can be focused separately in the eyepiece. The eye cup is already included with the stand microscope ordered.


Order no.	Description	Price excl. VAT.
OKU-020	Eyepiece with scale 0.005", for magnification 20x	£91.00
OKU-040	Eyepiece with scale 0.002" , for magnification 40x	£91.00
OKU-060	Eyepiece with scale 0.001" , for magnification 60x	£91.00
OKU-100	Eyepiece with scale 0.0005", for magnification 100x	£91.00
OKU-150	Eyepiece with scale 0.0002", for magnification 150x	£91.00
OKU-200	Eyepiece with scale 0.0001", for magnification 200x	£91.00



Tripod MKH

Special MKH tripod for 2034, 2054 and 2054-EIM series microscopes. Provides stability on rollers, curved surfaces or in combination with a digital camera. Support rollers coated with silicone-free material. The microscopes are screwed to the tripod with a union nut. The MKH is also available as a special model with rotating support rollers.

Order no.	Description	Price excl. VAT.
MKH	MKH Tripod for microscopes	£209.00
MKH-R	MKH Tripod with rotating support rollers	£482.00



Tripod ST-CIL

Precision tripod with segment columns, which can be installed to obtain the required distance. An X-Y table with two 25 mm measuring spindles with graduations of .01 mm is mounted in the tripod. The ST-CIL tripod can be used for combining microscopes 2034 or 2054 with the MST tripod. The MST tripod is also available with an additional rotating table.



Order no.	Description	Price excl. VAT.
ST-CIL	Tripod with X-Y Table	£810.00
ST-CIL-RT-85	Tripod with X-Y and rotating table	£1,170.00



Tripod CV-Mini-2034

The CV-Mini 2034 tripod was designed to allow inspection and measurements without contact. The aluminium extension arm can be rotated 360° on the VA shaft. An additional micro-adjustment is integrated into the extension arm. The 20 mm aluminium bottom plates is anodised and has dimensions of 230 x 150 mm. Larger support plates can be produced as special products. The microscope with tripod is supplied together with an elegant synthetic transport case (only when ordered as set)..

Order no.	Description	Price excl. VAT.
CV-Mini-2034	Tripod for microscopes	£350.00



USB Camera

An eight megapixel, miniature USB camera with integrated lens and autofocus feature can be attached simply to the eyepiece with the aid of an adapter. This allows images to be saved quickly on a laptop or PC. It is possible to use either the original camera driver software (in English only) or combine the system with the Metric BE software, which offers significantly more convenient operation, both software provide image visualisation and storage functionality. The quality of the images obtained with this high end industrial camera are particularly impressive.

Order no.	Description	Price excl. VAT.
1008-XS-ADP	USB 2.0 Camera with special adaptor & software	£680.00